



SYMBOL	REVISION	DRAWN	APPROV
A	CHG'D PINS 3 & 4 FOR CURRENT SENSOR ON -2	TH	TH
B	PINS 3 AND 4 WERE REVERSED	TH	8/23/99
C	CHG'D APPEARANCE OF BASE PLATE TO AGREE W/ DETAIL	TH	1/27/00
D	INTERNAL REVISIONS PER 203-100 REV 0	TH	2/9/01

TERMINAL FUNCTIONS (-2):  
(STANDBY CONTROLLER)

1. BUS SENSE
2. STBY ALT ON ANNUNCIATOR
3. CURRENT SENSOR ANALOG (OPTIONAL)
4. CURRENT SENSOR +10 VOLTS (OPTIONAL)
5. FIELD
6. BUS SUPPLY
7. GROUND

TERMINAL FUNCTIONS (-1):  
(PRIMARY CONTROLLER)

1. BUS SENSE
2. LOW VOLTAGE WARNING LIGHT (OPTIONAL)
3. TEMPERATURE PROBE - WHITE WIRE (OPTIONAL)
4. TEMPERATURE PROBE - YELLOW WIRE (OPTIONAL)
5. FIELD
6. BUS SUPPLY
7. GROUND

NOTE:

1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

	1	203-100-02	FINAL ASS'Y, 28 VOLT STANDBY ALT. CONTROLLER		
	1	203-100-01	FINAL ASS'Y, 28 VOLT PRIMARY ALT. CONTROLLER		
	-2	-1	PART NO.	DESCRIPTION	
UNLESS OTHERWISE SPECIFIED			B & C Specialty Products		
DIMENSIONS ARE IN INCHES			P.O. Box B, Newton, Kansas 67114		
TOLERANCES ARE:			TITLE		
DECIMAL 0.001 ± 0.001			ENVELOPE DRAWING		
FRACTIONAL 0.001 ± 0.001			CONTROLLER, 28 VOLT		
ANGLES ± 0.5 DEGREES					
	NAME	DATE			
ENGINEER	TH	8/13/98			
DRAWN	TH	8/12/97	DRAWING NO.	BC203	REVISION D
CHECKED	TH	8/13/98			DATE 2/9/01
PROJECT			SCALE NONE	JOB NO.	PAGE 1 OF 1